ATTY. DOCKET NO. APPLICATION NO. 10/732,867 9516-181-999 POST OF REFERENCES CITED BY APPLICANT APPLICANT MT 15 5002 5 (Use several sheets if necessary) D'Amato FILING DATE GROUP December 9, 2003 1626 TRADEN

## U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
KS	A01	2002/0061923	5/23/02	D'Amato	_		
	A02	6,020,358	2/1/00	Mullet et al.			
	A03	5,919,790	7/6/99	Allen et al.			
	A04	5,731,325	3/24/98	Andrulis, Jr. et al.			-
	A05	5,679,696	10/21/97	Fenton et al.			
-	A06	5,654,312	8/5/97	Andrulis, Jr. et al.			
	A07	5,643,915	7/1/97	Andrulis, Jr. et al.			
-:-	A08	5,629,327	5/13/97	D'Amato			
	A09	5,605,914	2/25/97	Muller			
·.	A10	5,605,684	2/25/97	Piacquadio			
	Al1	5,502,066	3/26/96	Heinemann			
	A12	5,443,824	8/22/95	Piacquadio			
<u> </u>	A13	5,434,170	7/18/95	Andrulis, Jr.			
1	Al4	5,405,855	4/11/95	Andrulis, Jr.			
1	A15	5,399,363	3/21/95	Liversidge et al.			
	A16	5,385,901	1/31/95	Kaplan, et al.			
	A17	5,134,127	7/28/92	Stella et al.			
	A18	5,021,404	6/4/91	Folkman, et al.			
	A19	5,001,116	3/19/91	Folkman, et al.			
	A20	4,994,443	2/19/91	Folkman, et al.			
	A21	4,552,888	11/12/85	Koppel, et al.			
	A22	3,705,162	12/5/72	Graudums, et al.			
	A23	3,625,946	12/7/71	Heinrich, et al.			
	A24	3,563,986	2/16/71	Frankus, E.			
	A25	3,560,495	2/2/71	Frankus, E.			
Ks	A26	2,830,991	4/15/58	Keller, et al.		_	

			FOREIG	N PATENT DOCUMENTS				
·		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
							YES	NO
<b>1</b> 28	B01	1,182,709	3/4/70	Austria				
1	B02	1 182 709	3/4/70	EP		_		
	B03	0 325 199	7/26/89	EP		_	<del></del>	
	B04	0 357 061	3/7/90	EP	_	_		
15	B05	0 688 771	6/14/95	EP				

es	B06	58-131978	8/6/83	Japan			
	B07	63-119500	5/24/88	Japan	1	1	
	B08	WO 91/10424	7/25/91	PCT			
	B09	WO 92/14455	9/3/92	PCT	$\neg$		
	B10	WO 92/18496	10/29/92	PCT			
	BII	WO 94/20085	9/15/94	PCT		· · · · · · · · · · · · · · · · · · ·	†
C	B12	WO 95/04533	2/16/95	PCT	<del></del>	_	

		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
Ks	C01	Algire, 1945, "Vascular reactions of normal and malignant tissues in vivo. I. Vascular reactions of mice to wounds and to normal and neoplastic transplants," J. Natl. Cancer Inst. pp. 73-85
,	C02	Allegri, 1964, "Confermata l'inefficacia della talidomides nella terapia dei tumori," Gazzetta Medica Italiana pp. 124- 127
	C03	Ambs et al., 1997, "Interactive effects of nitric oxide and the p53 tumor suppressor gene in carcinogenesis and tumor progression," FASEB J. 11:443-448
	C04	Apt, 1965, "Effect of thalidmoide on the course of experimental Chagas' Disease," BOI. Chil. Parasitol. 20(3):84-86
	C05	Aronson et al., 1984, "Thalidomide-induced peripheral neuropathy. Effect of serum factor on nerve cultures," Arch. Dermatol. 120(11):1466-1470
	C06	Bach et al., 1963, "Studies on the possible anti-neoplastic effect of thalidomide," ACTA PathologicaET Microbiologica Scandinavica 59:491-499
	C07	Bach et al., 1963, "Thalidomide in cancer chemotherapy," Lancet 1:1271
	C08	Bahmer, 1992, "Therapie bel lymphozytischer infiltration," Der Hautarzt 43:663
<del>-</del> .	C09	Balabanova et al., 1992, "Lupus erythermatosus hypertrophicus et profundus," Z. Hautkr 67(9):812-815
	C10	Barnes. et al., "Tumor Necrosis Factor Production in Patients with Leprosy", Infection and Immunity, Vol. 60 No. 4, pp. 1441-1446 (1992)
	CII	Barnhill, et al., "Thalidomide: Use and Possible Mode of Action in Reactional Lepromatous Leprosy and in Various other Conditions", J. Am. Acad. Dermatol., Vol. 7, No. 3, pp. 317-323-(1982)
	C12	Barnhill, R. et al., 1984, "Studies on the Anti-inflammatory Properties of Thalidomide: Effects on Polymorphonuclear Leukocytres and Monocytes", J. A& Acad. Derm., Vol. 11, No. 5, Part 1, pp. 814-819
	C13	Barriere, H., "Traitement par la thalidomide", La Presse Mkdicale, Vol. 12, No. 15, pp. 963 (1983)
	C14	Bazzoli, et al., "The Effects of Thalidomide and Two Analogues on the Regenerating
	<del> </del>	Forelimb of the Newt", J. Embryol. Exp. Morph., Vol. 41, pp. 125-135 (1977)
	C15	Beck, Jr. et al. "Vascular Development: Cellular and Molecular Regulation", <i>The FASEB Journal</i> , Vol. 11, pp. 365-374 (1997)
	CI6	Beccerica, E., "L'approccio terapeutico al paziente anziano con artrite reumatoide", Clin. Ter., Vol. 122, pp. 289-298 (1987)
	C17	Belaube, P. et al., 1983, "Should Thalidomide be Rehabilitated?", Sem. Hop. Paris, Vol. 59, No. 45, pp. 3101-3104
	C18	Bensinger, W.I., "Supportive Care in Marrow Transplantation", Curr. Opin. Oncol., Vol. 4, No. 4, pp. 614-623 (1992)
	C19	Bernal, et al., "Cellular Immune Effects of Thalidomide in Actinic Prurigo", Int'l. J, of Dermat., Vol. 31, No. 8, pp. 599-600 (1992)
	C20	Blair, R. et al., "Human Mast Cells Stimulate Vascular Tube Formation", Journal of Clinical Investigation, Vol. 99, NO. 11, pp. 2691-2700 (1997)
	C21	Blaschke, V. et al., "Chromatographische Racernattrennung von Thalidomid und teratogene Wirkung der Enantiomere, Arzneimittel Forsch./Dru, q Res., Vol. 29, No. 11, pp. 1640-1642 (1979)
	C22	Bonifacino, J. et al., "A Peptide Sequence Confers Retention and Rapid Degradation in the Endoplasmic Reticulum", Science, Vol. 2, pp. 79-80 (1990)
	C23	Bonnetblanc, et al., "Thalidomide and Recurrent Aphthous Stomatitis: a Follow-up Study",
<del>                                     </del>	m4	Dermatology, Vol. 193, No. 4, pp. 321-323 (1996)  Boodman, S.G., "Questions About a Popular Prenatal Test", The Washington Post (1992)
1	C24	<u></u>
LFS_	C25	Bowers, et al., "Effect of Thalidomide on Orogenital Ulceration", Br. Med. Journ., Vol. 287,

		of Application No. 10/732,867
KS		No. 6395, pp.799-800 (1983)
1	C26	Braun et al., 1981, "Thalidomide metabolite inhibits tumor cell attachment to concanavalin a coated surfaces," Biochem. Biophys. Res. Comm. 98(4):1029-1034
	C27	Brem et al., 1991, "Interstitial chemotherapy with drug polymer implants for the treatment of recurrent gliomas," J. Neurosurg. 74:441-446
	C28	Bressler et al., 1992, "Clinicopathologic Correlation of occult choroidal neovascularization in age-related macular degeneration," Arch. Opthamol. 110:827
	C29	Brodthagen, 1985, "Significant response of oral aphthosis to thalidomide treatment," J. Am. Acad. Dermaol. 13(3):509
	C30	Brovarone et al., 1991, "Occhio e gravidanza," Minerva Ginecol 43:141-167
	C31	Browne et al., 1991, "Expression of recombinant human plasminogen and aglycoplasminogen in HeLa cells," Fibrinolysis 5:257-260
	C32	Bubl et al., 1993, "Dysphagia in dermatologic disease," Dysphagia 8(2):85-90
	C33	Buckley et al., 1990, "Pyoderma gangrenosum with severe pharyngeal ulceration," J. Royal Soc. Med. 83:590-591
	C34	Buelens, 1967, "Treatment of a greade II astrocytoma with thalidomide (Phthalylglutamic acid imide) [Behandlung eines astrocytoms II. Grades mit thaliodmid (N-Phthalyglutaminsaureimid)], Arzneim-Forsch., 17(5):646-648
	C35	Bullock, 1986, "The clinical significance of erythema nodosum," Hosp. Pract. 21(3):102E-2H, 102K-2L, 102Q-2R pas
•	C36	Burger et al., 1992, "Epidermolysis bullosa acquisita a rare late complication of allogeneic bone marrow transplantation?" Bone Marrow Transplantation 9(2):139-141
	C37	Burrows, 1993, "Thalidomide Modifies disease," Brit. Med. J. 307(6909):939-940
	C38	Buckley et al., 1990, "Pyoderma gangrenosum with severe pharyngeal ulceration," J. Royal Soc. Med. 83:590-591
	C39	Calnan et al., 1977, "Actinic prurigo (Hutchinson's Summer Prurugo)," Clin. Exp. Dermatol. 2(4):365-372
•	C40	Cant, J.S., "Minor Ocular Abnormalities Associated With Thalidomide", <i>The Lancet</i> , p. 1134 (1966)
•	C41	Carmichael, et al., "Thalidomide: A Restricted Role", Lancet, Vol. 339, No. 8805, p. 1362 (1992)
	C42	Cashin, C.H. et al., "Angiogenesis and Chronic Inflammation", Agents and Actions, Vol. 34, NO. 314, pp. 332-338 (1991)
	C43	Casini, G. et al., "Preparazione Di Uno Degli Antipodi Ottici Della 2-Ftalimmidoglutarimmide", 11 Pharmaco, Ed. Sc., Vol XIX, F&C. 6, pp. 563-565 (1964)
	C44	Chapon, et al., "Neuropathies Caused by Thalidomide", Rev. Neurol., Vol. 141, No. 11, pp. 719-728 (1985)
	C45	Chaudhrv. A. et al "Effects of Prednisolone and Thalidornide on Induced Submandibular Gland tumors in Hampsters", Canc. Res., Vol. 26, No. 9, Part 1, pp. 1884-1886 (1966)
	C46	Chen. T. et al., "Plasma Pharmacokinetics and Urinary Excretion of Thalidomide after Oral Dosing in Healthy Male Volunteers," The Am. Society for Pharma. andkxPeri. Therapeutics, Vol. 17, No. 4, pp. 402-405 (1988)
	C47	Chosidow. 0, et al "Sclerodermatous Chronic Graft-Versus-Host Disease: Analysis of Sevencases", J. Am. Acad. Dermatol., Vol. 26, No. 1, pp. 49-55 (1992)
	C48	Claydon, et al., "Gastrointestinal Emergencies in HIV Infection", Balliere's Clin Gastroennterol., Vol. 5, No. 4, pp. 887-911 (1991)
	C49	Clemmensen et al., 1984, "Thalidomide neurotoxicity," Arch. Dermatol. 120(3):338-341
	C50	Colville-Nash et al., 1992, "Angiogenesis and rheumatoid arthritis: Pathogenic and therapeutic implications," Ann. Rheum. Dis. 51:919-625
	C51	Congy, et al., "Plasma Zinc Levels in Elderly Patients Hospitalized in Long Stay Units. Correlations with Other Nutritional Markers, Immunological Tests and Survival", Sem. Hop. Paris, Vol. 59, No. 45, pp. 3105-3108 (1983)
	C52	Costa, et al., "Aseptic Adenitis in a Patient with Pyoderma Gangrenosum", Ann. Dennatol., Vol. 121, No. 8, pp. 550-552 (1994) (Abstract Only)
	C53	Crain, E. et al., "The Effect of Thalidomide on Experimental Autoimmune Myasthenia Gravis", J. of Autoimmunity, Vol. 2, pp. 197-202 (1989)
	C54	Crawford, C.L., "Letter: Thalidomide in Erythema Nodosum Leprosum", Lancet, Vol. 2, No. 839, pp. 1201-1202 (1973)
	C55	Crawford, C.L., "Treatment of Erythema Nodosum Leprosum with Thalidomide," Lancet, Vol. 2, No. 828, pp. 567-568 (1973)
	C56	Crawford, C.L., "Use of Thalidomide in Leprosy [letter; comment]", BMJ, Vol. 302, No. 6729, pp. 1603-1604 (1991)
Fr	C57	Crum et al., 1985, "A new class of steroids inhibits angiogenesis in the presence of heparin or a heparin

		of Application No. 10/732,867
ks		fragment," Science 230:1375-1378
ps	C58	Current Bibliographics in Medicine, "Thalidomide: Potential Benefits and Risks", National Inst. Health, National Library of Medicine pp. 1-72 (Jan. 1963-July 1997)
1	C59	Dark, et al., "Combretastin A-4, an Agent that Displays Potent and Selective Toxicity Toward Tumor Vasculature", Cancer Research, Vol. 37, pp. 1829-1834 (1997)
	C60	David-Bajar, K.M., "Subacute Cutaneous Lupus Erythematosus", J. Invest. Dermatol. Vol. 100, No. 1, pp. 2s-8s (1993)
	C61	D'Amato, R. J. et al., "Thalidomide is an Inhibitor of Angiogenesis", Proc. Natl. Acad. Sci., Vol. 91, pp. 4082-4085 (1994)
	C62	D'Amato, et al., "Angiogenesis Inhibition in Age-Related Macular Degeneration", Opthalmology, Vol. 102, No.9,pp.1261-1262(1995)
	C63	D'Amato. et al., "Microsco~ic Analysis of Retinal-Vessels Utilizing: Fluorescein-Labeled High-Molecular-Weight Dextrans," Invest. Opthamol. & Visual Science 33(4):1082 (1992)
	C64	De et al., 1975, "Possible antoneoplastic agents I," J. Pharma. Sci. 64(2):262-266
	C65	DeCock, 1979, "Treatment of Ulcerative Colitis," Brit. Med. J. 1:1356
	C66	DeKlerk et al., 1969, "New methods of treatment for renal allotransplants using the baboon as a primate experimental model," J. Urol. 102(5):532-540
	C67	Dhodapkar et al., "A phase II pilot study of anti-angiogenesis therapy using thalidomide in patients with multiple myeloma," UARK 98-003, pp. 1-15
	C68	Dicken, C. H., "Malignant pyoderma", J. of the Am. Acad. of Dermatol., Vol. 13, No. 6, pp. 1021-1025 (1985)
	C69	DiPaolo, et al., "Thalidomide: Effects on Ehrlich Ascites Tumor Cells in vitro", Science, Vol. 144, pp. 1583 (1964)
	C70	DiPaolo, 1963, "Effect of thalidomide on a variety of transplantable tumors," Cancer Chemo. Reports, 29:99-102
•	C71	DiPaolo, 1963, "In vitro test systems for cancer chemotherapy. II. Correlation of in vitroinhibition of dehydrogenase and growth with in vivo inhibition of Ehrlich ascites tumor," P.S.E.B.M. 114:384-387
	C72	DiPaolo et al., 1966, "Teratogenesis-oncogenesis: A study of possible relationships," Arch. Pathol. 81:3-23
	C73	Dorveaux et al., 1984, "Le traitement actuell du lupus erythemateux chronique," Le Concours Med. 106(31):2957-2961
	C74	Doutre et al., 1987, "Pyoderma gangrenosum and hemopathies. A propos of 2 cases," Nouv. Rev. Fr. Hematol. 29(4):251-254
	C75	Dunn, et a]., "Bone Marrow Transplantation and Cataract Development", Arch. Ophthalmol. Vol. 11 1, No. 10, pp. 1367-1373 (1993)
	C76	(Editorial) "Thalidomide in Dermatology and Leprosy", Lancet, Vol. 2, No. 8446, pp. 80-81 (1985)
	C77	(Editorial) "Thalidomide Tested for Treatment of AIDS", U.S. Pharm., Vol. 18, No. 8, p. 14 (1993)
	C78	Eger, K. et al., 1990, "Synthesis, Central Nervous System Activity and Teratogenicity of a Homothalidomide," Arzheim. Forsch/Drug Res. 40(II)(10):1073-1075
	C79	Ehrlich, 1989, "Behcet's Disease: Current Concepts," Comprehensive Therapy 15(1):27-30
	C80	Elia et al., 1992, "Giant esophageal ulcer treated with steroids in AIDS patient(2)," J. Acquired Immune Defic. Syndr. 5(8):848-849
	C81	Eisenbud, L. et al., "Recurrent Aphthous Stomatitis of the Behcet's Type: Successful Treatment with FA Thalidomide", Oral Surgery, oral Medicine, Oral Pathology, Vol. 64; NO. 3, pp. 289-292 (1987)
	C82	Eraveily, J. et al., "Thalidornide in Weber-Christian Disease", The Lancet, Vol. 1, No. 8005, p. 251 (1977)
	C83	Eriksson, et al., "Drug Exposure and Flow Cytometry Anaylses in a Thalidomide Treatment Schedule that Prolongs Rat Cardiac Graft Survival", <i>Transplant Proc.</i> , Vol. 24, No. 6, pp. 2560-2561 (1992)
•	C84	Eriksson, S. O. et al., "Synthesis and Alkaline Hydrolysis of Some N-substituted Phthalimides", Acta Pharm. Suecica 10:63-84 (1973)
	C85	Fabro, S. et al., "The Metabolism of Thalidomide: Some Biological Effects of Thalidomide and its Metabolites", Brit. J. Pharmacol., Vol. 25, pp. 352-362 (1965)
	C86	Fabro, S. et al., "Teratogenic Activity of Thalidomide and Related Compounds", Life Sci., Vol. 3, pp. 987-992 (1964)
	C87	Fabro, S. M.D., "Biochemical Basis of Thalidomide Teratogenicity", The Biochemical Basis of Chemical Teratogenesis, Chapter 5, pp. 159-178 (1981)
	C88	Fajardo, et al., "Dual Role of Tumor Necrosis Factor-a in Angiogenesis", Am. J. Pathol., Vol. 140, No. 3, pp. 539-544 (1992)
}	C89	Faure, et al., "PMN Leukocytes Chemotaxis: Inhibition by Thalidomide", Pathol. Biol. (Paris), Vol. 29, No. 10 pp. 601-604 (1981)
ks	C90	Faure, et al., "Inhibition of PMN Leukocytes Chemotaxis by Thalidomide", Arch. Dermatol. Res., Vol. 269,

		of Application No. 10/732,867
k.		No. 3, pp. 275-280 (1980)
KS	C91	Fazal, N. et al., "Effect of Blocking TNF-a on Intracellular BCG (Bacillus Calmette Guerin) Growth in Human Monocyte-Derived ~acrophages", FEMS Microbiology Immunology, Vol. 105, pp. 337-346 (1992)
<u> </u>	C92	Fickentscher, K. et al., "Stereochemical Properties and Teratogenic Activity of Some Tetrahydrophthalimides"  Mol. Pharmacol., Vol. 13, pp. 133-141 (1977)
	C93	Field, E. 0. et al., "Effect of Thalidomide on Splenornegaly (GVH Reaction) in the Chick Embryo. Treatment of Donor Cells Only", <i>Nature</i> , Vol. 211, No. 5055, pp13b9-1310 (1966)
	C94	Flohe, L. et al., "Studies on the Hypothetical Relationship of Thalidomide-induced Embryopathy and Collagen Biosynthesis", Arzneimitte/Forschung (Germany west), Vol. 31, No. 2, pp. 315-320 (1981)
	C95	Folkman et al., 1992, "Angiogenesis," J. Biol. Chem. 267(16):10931-10934
	C96	Folkman et al., 1983, "Angiogenesis inhibition and tumor regression caused by heparin or a heparin fragment in
		the presesnce of cortisone," Science 221:719-725
	C97	Folkman, J. et al., "Induction of Angiogenesis During the Transition from Hyperplasia to Neoplasia", Nature Vol. 339, pp. 58-61 (1989)
	C98	Folkman, J. et al., "Tumor Behavior in Isolated Perfused Organs: In Vitro Growth and Metastases of Biopsy material in Rabbit Thyroid and Canine Intestinal Segment", Anals of Surgery, pp. 491-502 (1966)
	C99	Folkman, J., "Tumor Angiogenesis: Therapeutic Implications", The New England J. of Med., Vol. 285, No. 21, pp. 1182-1186, (1971)
	C100	Folkman, J., "Angiogenesis and Its Inhibitors", <i>Important Advances in Oncology</i> , J.B. Lippincott H. Company, pp. 42-62 (1985)
	C101	Folkman, J., "Angiogenesis in Cancer, Vascular, Rheumatoid and Other Disease", <i>Nature Medicine</i> , Vol. 1, No. 1 pp. 27-30 (1995)
	C102	Folkman, J., "What is the Evidence that Tumors are Angiogenesis Dependent?', J. Naat' Cancer Inst., Vol. 82 No. 1 (1990)
	C103	Francois, J., "Embryological Pigment Epithelial Dystrophies", Opthalmologica, Vol. 172, pp. 417-433 (1976)
•	C104	Fuller, et al., "Thalidomide, Peripheral Neuropathy and AIDS", Int. J. STD AIDS, Vol. 2, No. 5, pp. 369-370 (1991)
	C105	Furner,, B.B., "Treatment of Subacute Cutaneous Lupus Erythematosus", Int. J. Demzatol., Vol. 29, NO. 8, pp. 542-547 (1990)
	C106	Gad et al., "Thatidomide Induces Imbalances in T-Lymphocyte Sub-Populations in the Circulating Blood of Healthy Males", Lepr. Rev., Vol. 56, No. 1, pp. 35-39 (1985)
	C107	
	C108	Cervicofac 107(5):311-313
	C109	Genvo et al., 1984, "Treatment of aphthosis with thalidomide and with colchicine," Dermatologica 168(4):182-188
	C110	Geoghiou et al., 1990, "HIV-assoc oesophageal ulcers treated with thalidomide," Med. J. Australia 152:382-383
	CIII	Gershbein, 1967, "Effect of transplanted tumor and various agents on liver regeneration during pregnancy," P.S.E.B.M. 126:88-92
	C112	
	C113	Gershbein, 1966, "Effect of various agents of liver regeneration and walker tumor growth in partially hepactectomized rats," Cancer Res. 26(9):1905-1908
	C114	Ghigliotti et al., 1993, "Thalidomide: Treatment of choice for aphthous ulcers in patients seropositive for human immunodeficiency virus," J. Am. Acad. Dermaol. 28(2 Part I):271-272
	C115	
	C116	Gimbrone et al., 1974, "Tumor growth and neovascularization: An experimental model using the rabbit cornea,"  J. Nat. Cancer Institute 52(2):413-419
	C117	
	C118	Goihman-Yahr et al., 1974, "Autoimmune diseases and thalidomide II: Adjuvant disease, experimental allergic encephalomyelitis and experimental allergic neuritis of the rat," Int. J. Leprosy 42(3):266-275
	C119	Gorin et al., 1990, "Thalidomide may cure AIDS ulcers," Nurs. Times 86(24):10
	C120	Gorin et al., 1990, "Thalidomide in hyperalgic pharyngeal ulceration of AIDS," Lancet 335:1343
1	C121	Goulden et al., 1993, "Linear prurigo simulating dermatitis artefacta in dominant dystrophicepidermolysis bullosa," Br. J. Dermatol. 129(4):443-446
F3	C122	Grabstald et al., 1965, "Clinical experiences with thalidomide in patients with cancer," Clin. Pharmacol. and Ther. 6:298-302

		of Application No. 10/732,867
4	S C123	Grant et al., 1993, "Scatter factor induces blood vessel formation in vivo," PNAS 90:1937-1941
	C124	Grinspan et al., 1989, "Treatment of aphthae with thalidomide," J. Am. Acad. Dermatol. 20(6):1060-1063
	C12:	Grinspan, 1985, "Significant response of oral aphthosis to thalidomide treatment," Am. Acad. of Dermatol. 12(1, Part 1):85-90
	C126	Grosshans et al., 1984, "Thalidomide therapy for inflammatory dermatoses," Int. J. Dermatol. 23(9):598-602
	C127	Guidetti et al., 1969, "Ricerche Sull'azione immunodepressiva della talidomide e del prednisolone in ratti portatori di neoplasie sperimentalmente indotte," Cancro 22:503-512
	C128	
	C129	
	C130	Gutierrez-Rodriguez et al., 1989, "Treatment of refractory rheumatoid arthritis - The thalidomide experience," J. Rheumatol. 16(2):158-163
	C13	Gutierrez-Rodriguez et al., 1984, "Thalidomide: A promising new treatment for rheumatoid arthritis," Arthritis and Rheumatism 27(10):1118-1121
	C132	Haffner, 1992, "Studies involving orphan products for treating/diagnosing women's diseases," Food and Drug Law J. 48:205-211
•	C133	Hamza, 1990, "Behcet's Disease, pamlmoplantar pustulosis and HLA-B27 treatment with thalidomide," Clin. Exp. Rheumatol. 8(4):427
	C134	Hamza, 1986, "Treatment of Behcet's disease with thalidomide," Clin. Rheumatol. 5(3):365-371
	C13:	Handley et al., 1993, "Chronic bullous disease of childhood and ulcerative colitis," Pediatric Dermatol. 10(3):256-258
•	C130	40):67-68
	C13	treat in the patient infected with human immunodeficiency virus(1)," Arch. Intern. Med. 152(9):1924
	C138	Harris, 1997, "Antiangiogenesis for cancer therapy," Lancet 349(Supp. II):13-15
	C139	19(10):812-815
	C140	324
	C141	laboratory abnormalities nodosum leprosum," Clin. Pharmacol. Ther. 11(4):481-487
	C142	exposure to thalidomide metabolites," Leuk. Res. 15(2/3):129-136
	C14:	Invest. 99(11):2581-2587
	C144	
	C145	Hellman et al., 1965, "Prolongation of skin homograft survival by thalidomide," Brit. Med. J. 2:687-389
	C146	related to thalidomide," Arzneim. Forsch./Drug Res. 31(I, No. 6):941-949
	C14	·
	C148	
	C149	
	C150	44(4):199-204
	C15	
	C152	
	C153	129(12):1548-1550
	C154	human basic fibroblast growth factor," Cancer Res. 51:6180-6184
	C155	Inflammation 18:45-58
	C156	smooth muscle cells," FASEB J. 11:498-504
K	C157	Ingber et al., 1990, "Synthetic analogues of fumagillin that inhibit angiogenesis and suppress tumor growth," Lett. to Nature 348:555-557

		of Application No. 10/732,867
	g CI	
_ ' <u>}</u>	CI	
	<del>-   .</del>	immunodeficiency virus infection," New Engl. J. Med. 336(21):1487-1493  Jacobson et al., 1976, "The Diagnosis and treatment of leprosy," South Med. J. 69(8):979-985
<del></del>	CI	
	Cı	Other Mycobact. Dis. 39(2):589
	Cı	Jeltsch et al., 1997, "Hypeplasia of lymphatic vessels in VEGF-C transgeneic mice," Science 276:1423-1426
	CI	
	Cı	Jenkins et al., 1984, "Thalidomide in severe orogenital ulceration," Lancet 2(8417-8418):1424-1426
	Cı	Jennings et al., 1969, "Effect of actinomycin D on the production of acute phase protein in the rabbit,"  Experienta 25:305-306
	Cı	Jew et al., 1990, "Thalidomide in erythema nodosum leprosum, DICP 24(5):482-483
	Cı	Johnke et al., 1993, "Thalidomide treatment of prurigo nodularis," Ugeskr Laeger 155(38):3028-3030, Abstract
	Cı	Jonsson, 1972, "Chemical structure and teratogenic properties IV. An outline of a chemical hypothesis for the teratogenic action of thalidomide," Acia Pharm. Succica 9:543-562
•	Cı	Jonsson, 1972, "Chemical structure and teratogenic properties I. Synthesis and teratogenic activity in rabbits of some derivatives of phthalimide, isoindoine-1-one, 1.2-benzisothiazoline-3-one-1, 1-dioxide and 4(3II)-quinazoline," Acia Pharm. Succica, 9:431-436
•	Cı	Jonsson, 1972, "Chemical structure and teratogenic properties III. A review of available data on structure- activity relationships and mechanism of action of thalidomide analogues," Acia Pharm. Succia 9:521-542
	Cı	146(5):878-881
	CI	Juret et al., 1963, "Absebce d'effet carcino-frenateur du talidomide vis-à-vis de deux tumerus greffees," Societe de Biologie 23:246-249
	Cı	
	CI	Kaplan et al., 1994, "TNFα regulation of HIV1:Biology and therapy," Res. In Immunol. 145(8-9):685-690
	CI	
		proliferating liver cells of normal rats in culture." Jpn. J. Exp. Med. 35(4):231-248  Keenan et al., 1991, "Immunosuppressive properties of thalidomide," Transplantation 52(5):908-910
	Cı	
	Cı	Kenyon et al., "The discovery of new inhibitors of angiogenesis using an improved mouse corneal neovascularization model," No. 459-367, pp. S94 (Abstract only)
	Cı	
	CI	
	Cı	
	Cı	Knighton et al., 1977, "Avascular and vascular phases of tumor growth in the chick embryo," Br. J. Cancer 35:347-356
	Ci	Knop et al., 1983, "Thalidomide in the treatment of sixty cases of chronic discoid lupus erythematosus," Br. J. Dermatol. 108(4):461-466
	Cı	77 1 1 1 1005 (4 1 11 11 11 11 11 11 11 11 11 11 11 11
	Cı	
	CI	Kroger et al., 1996, "Synergistic effects of thalidomide and poly (ADP-ribose) polymerase inhibition on type II
	Cı	collagen-induced arthritis in mice," Inflammation 20(2):203-215   Kundu et al.,1995, Prurigo nodularis in an HIV positive man (2)," Genitourinary Med. 71(2):129-130
	Cı	
		Dermatol. 112(5):632
	Cı	Lane et al., 1990, "Treatment of actinic prurigo with intermittent short-course topical 0.05% clobetasol 17- propionate: A preliminary report," Arch. Dermatol. 126(9):1211-1213
1	CI	Languillon, 1971, "The effects of thalidomide on leprosy reaction," Int. J. Lepr. Other Mycobact. Dis. 39(2):590-592
	Cı	Larsson, 1990, "Treatment of severe colitis in behcet's syndrome with thalidomide (CG-217)," J. of Intern. Med. 228:405-407
	CI	1 1 1000 (77)
7	CI	
	7 10.	

0102	
C193	Lenicque, 1967, "Action of thalidomide on the induction of tentacles in regenerating hydra littoralis," Acta.  Zool. 127-139
C194	
C195	Lien et al., 1970, "The blood supply of experimental liver metastases. II. A microcurculatory study of the normal and tumor vessels of the liver with the use of perfused silicone rubber," Surgery 68(2):334-340
C196	Lo et al., 1989, "Treatment of discoid lupus erythematosus," Int. J. Dermatol. 28(8):497-507
C197	Londono, 1973, "Thalidomide in the treatment of actinic prurigo," Int. J. Dermaol. 12(5):326-328
C198	Lovell et al., 1983, "Thalidomide in actinic prurigo," Br. J. Dermatol. 108(4):467-471
C199	Lopez et al., 1993, "Thalidomide as therapy for intestinal chronic GVHD," Bone Marrow Transplant. 11(3):251-252
C200	Louzir et al., 1992, "Erythroleucemie chez un patient ayant une maladie de behcet et traite au long cours par thalidomide," Ann. de Med. Interne 143:479-480
C201	Lueprasitsakul et al., 1990, "Effect of thalidomide on the incidence of iodine-induced and spontaneous lymphocytic thyroiditis and spontaneous diabetes mellitus in the BB/Wor rat," Acta Endocrino Logica 123:79-83
C202	Luers, 1962, "Failure of mutagenic action of thalidomide in Drosophila," Lancet II(7258):1332
C203	Magana-Garcia, 1994, "Antimalarials for children," J. Am. Acad. Dermatol. 30(3):510
C204	Maione et al., 1990, "Inhibition of angiogenesis by recombinant human platelet factor-4 and related peptides," Science 2:77-78
C205	Makonkawkeyoon et al., 1993, "Thalidomide inhibits the replication of human immunodeficiency virus type 1," PNAS 90:5974-5978
C206	dasypus novemcinctus Mexicanus, including a choriocarcinoma," Am. J. Pathol. 43(6):999-1016
C207	Mascaro et al., 1979, "Thalidomide in the tratment of recurrent, necrotic, and giant mucocutaneous aphthae and aphthosis," Arch. Dermt. 115:636-637
C208	79:1440-1446
C209	5(12):1405-1417
C210	Mauad, 1963, "Melhoras clinicas obtidas em doentes cancerosos avancados com tratamento pela talidomida associada a hormonios," Anais Paulistas Medicina e Cirurgia pp. 15-39
C211	Maurice et al., 1986, "The effect of thalidomide on arachidonic acid metabolism in human polymorphonuclear leukocytes and platelets," Br. J. Dermatol. 115(6):677-680
C212	marrow transplantation," Biomed. Pharmacother. 43(9):693-697
C213	McKenna et al., 1992, "Linear IgA disease, oral ulceration and Crohn's disease," Br. J. Dermatol. 127:67-68
	Miller et al., 1980, "Zusammentreffen einer thalidomid-induzierten fehlbildung mit einem malignen lymphom hohen malignitatsgrades," Monatsschr. Kinderheilkd. 128:27-29
	Miller et al., 1987, "Treatment of chronic erythema nodosum leprosum with cyclosporine A produces clinical and immunohistologic remission," Int. J. Lepr. Other Mycobact. Dis. 55(3):441-449
C217	Misery et al., 1993, "Remission of Langerhans cell histiocytosis with thalidomide treatment," Cli. Exp. Dermatol. 18(5):487
	26(Fasc. 3):305-306
	28(7):836
	Miyachi et al., 1982, "Effects of thalidomide on the generation of oxygen intermediates by Zymosan-stimulated normal polymorphonuclear leukocytes," Arch. Dermatol. Res. 274(3-4):363-367
C221	Mohri et al., 1968, "Negative effect of thalidomide and relative substances on the growth of HeLa cells," Chem. Pharm. Bull. 16:2289-2292
	Other Mycobact. Dis. 53(2):201-205
C223	Montrucchio et al., 1994, "Tumor necrosis factor a-induced angiogenesis depends on in situ platelet-acting factor biosynthesis," J. Exp. Med. 180:377-382
C224	Moulin et al., 1983, "Treatment of Jessnet-Kanof disease with thalidomide," Ann. Dermatol. Venereol. 10(8):611-614
C225	Mshana et al., 1982, "Thymus-dependent lymphocytes in leprosy II. Effect of chemotherapy on T-lymphocyte subpopulations," J. Clin. Immunol. 2(2):69-74
	C197 C198 C199 C200 C201 C202 C203 C204 C205 C206 C207 C208 C210 C211 C212 C213 C214 C215 C216 C217 C218 C219 C220 C221 C222 C223 C224

		of Application No. 10/732,867
15	C226	Muckter et al., 1965, "Thalidomide and tumor," Antimicrobial Agents and Chemother. pp. 531-538
\	C227	Mummery et al., 1983, "Screening for cytotoxicity in neuroblastoma cells-I. Dependence of growth inhibition of
		the presence of serum," Toxicity Lett. 18:201-209
	C228	Munro et al., 1988, "Pyoderma gangrenosum associated with Behcet's syndrome-response to thalidomide," Clin. Exp. Dermatol. 13(6):408-410
	C229	Muthukkaruppan et al., 1979, "Angiogenesis in the mouse comea," Science 205(28):1416-1418
-	C230	Naafs et al., 1985, "Thalidomide therapy an open trial," Intl. J. Dermatol. 24(2):131-134
	C231	Naafs, 1996, "Bangkok workshop on leprosy research. Treatment of reactions and nerve damage." Int. J. Lepr. Other Mycobact. Dis. 64(4, Supp.):S21-28
	C232	Berlin, Berlin, Federal Rep. of Germany, pp. 169-178
	C233	cancer patients," J. Natl. Cancer Inst. 85(3):241-242
	C234	Nguyen et al., 1994, "Elevated levels of the antiogeneic peptide basic fibroblast growth factor in urine of patients with a wide spectrum of cancers," J. Natl. Cancer Inst. 86(5):356-361
	C235	
.	C236	NY 1 1000 WM 111 11 M
	C237	Nielsen et al., 1986, "Thalidomide nehances superoxide anion release from human polymorphonuclear and leukocytes," Acta. Pathol. Microbiol. Immunol. Scand. [C], 94(6):233-237
	C238	Obeso et al., 1990, "Methods in laboratory investigation: A hemangioendothelioma-derived cell line: Its use as a model for the study of endothelial cell biology," Lab. Invest. 63(2):259-269
	C239	Oikawa et al., 1991, "Eponemycin, a novel antiobiotic is a highly powerful angiogenesis inhibitor," Biochem. Biophys. Res. Comm. 181(3):1070-1077
	C240	
	C241	Orzalesi, 1992, "Il Danno iatrogeno in neonatologica," Ped. Med. Chir. 14:105-112
	C242	Ostraat et al., 1992, "Thalidomdie prolongs graft survival in rat cardiac transplants," Transplant. Proc. 24(6):2624-2625
	C243	0. 1. 1. 1001 (4)
	C244	Paller et al., 1992, "Proceedings of the concurrent sessions," Pediatr. Dermatol. 9(4):397-406
	C245	angiogenesis and antiangiogenic agents using reconstituted basement membrane, heparin, and fibroblast growth
	C246	factor," Lab. Invest. 67(4):519-528  Patey et al., 1989, "Thalidomide et colite ulcereuse dans la maladie de Behcet,"Gastronenterol. Clin. Biol. 13:104-110
	C247	
	C248	
	C249	Pfordte, 1971, "Uber die beeinflussung des serumproperdinsystems durch verschiedene arzneimittel," Pharmazie 26:301-302
	C250	
	C251	D 11 1 1005 #7
	C252	D: 1 1000 40 11
	C253	
	C254	Radeff et al., 1990, "Recurrent aphthous ulcer in patient infected with human immunodeficiency virus:
<del>  </del>		Successful treatment with thalidomdie," J. Am. Acad. Dermatol. 23(3, pt. 1):523-525
	C255	4(3):405-432
	C256	episodes and corticosteroid requirements," Lepr. India 55(1):111-116
	C257	263(11):1474
	C258	1468
L F3	C259	Revuz, 1990, "Actualite du thalidomide," Ann. Dermatol. Venereol. 117:313-321

		of Application No. 10/732,867
K	C260	Revuz et al., 1990, "Crossover study of thalidomide vs. placebo in severe recurrent aphthous stomatitis," Arch. Dermatol. 126:923-927
- 7-5	C261	Rhoton, 1993, "Role for thalidomide in primary biliary cirrhosis treatment?" Gastroenterol. 105(3):956
	C262	Robbins, "The plasminogen-plasmin enzyme system," Fibrinolysis pp. 340-357
	C263	Roe, 1963, "Pathology thalidomide and neoplasia," Nature 200:1016-1017
	C264	Roe et al., 1965, "Tumour-incidence in progeny of thalidomide-treated mice," Brit. J. Cancer pp. 331-333
	C265	Ruggenini et al., 1967, "Talidomide e tumori sperimentali," Cancro 20:39-55
	C266	
	-	Am. Acad. Dermatol. 23(5, pt. 1):941-944
	C267	Ryan et al., 1992, "Thalidomide to treat esophageal ulcer in AIDS (6)," New Engl. J. Med. 327(3):208-209
	C268	Salven et al., 1997, "Serum vascular endothelial growth factor is often elevated in disseminated cancer," Clin. Cancer Res. 3:647-651
	C269	Sampaio et al., 1992, "Prolonged treatment with recombinant interferon gamma induces erythema nodosum lepromatous leprosy patients," J. Exp. Med. 175(6):1729-1737
	C270	
	C271	Santis, 1991, "Aphthous stomatitis and its management," Curr. Opin. Dent.1(6):763-768 (Abstract)
	C272	
		patients and from patients with erythema nodosumleprosum," Clin. Immunol. Immunopathol. 67(3):199-203
	C273	Sato et al., 1997, "Increased concentration of vascular endothelial growth factor/vascular permeability factor in cyst fluid of enlarging and recurrent thyroid nodules," J. Clin. Endocrinol. Metabol. 82(6):1968-1972
	C274	
:	C275	Shannon et al., 1981, "Inhibition of de novo IgM antibody synthesis by thalidomide as a relevant mechanism of action in leprosy," Scand. J. Immunol. 13(6):553-562
	C276	Shannon et al., 1992, "Thalidomide's effectiveness in erythema nodosum leprosum is associated with a decrease
	C277	in CD4+ cells in the peripheral blood," Lepr. Rev. 63(1):5-11 Shealy et al., 1965, "D- and L-Thalidomide," Chem. and Indust. pp. 1030-1031
	C278	Sheehan, 1986, "Thalidomide neurotoxicity and rheumatoid arthritis," Arthritis and Rheum. 29(10):1296
	C278	Sherman et al., 1986, "Thalidomide: A twenty-five year perspective," Food Drug Cosmetic Law J. 41:458-466
	C280	Sheskin, 1980, "The treatment of lepra reaction in lepromatous leprosy. Fifteen years' experience with
	C281	thalidomide," Int. J. Dermatol. 19(6):318-322  Sheskin et al., 1981, "In vivo measurements of iron, copper, and zinc in the skin of prurigo nodularis patients treated with thalidomide," Dermatologica 162(2):86-90
	C282	Shi et al., 1991, "Kringle domains and plasmin denaturation," Biochem. Biophys. Res. Comm. 178(1):360-368
	C283	Sidky et al., 1987, "Inhibition of angiogenesis by interferons: Effect on tumor and lymphocyte-induced vascular responses," Cancer Res. 47:5155-5161
	C284	Sliverman, 1980, "Medical inflation," Persp. Biol. Med. pp. 617-637
	C285	Smith et al., "Studies on the relationship between the chemical structure and embryotoxic activity of thalidomide and related compounds," Chem. Struct. and Embryopathy pp. 194-209
	C286	Srivastava et al., 1988, "The prognostic significance of tumor vascularity in intermediate-thickness skin melanoma," Am. J. Pathol. 133:419-423 (Abstract from Medline Accession No.: 06745734)
	C287	Style, 1995, "Early diagnosis and treatment of leprosy in the United States," Am. Family Phys. 52(1):172-178
	C288	Sugiura et al., 1964, "Effect of thalidomide on transplantable mouse, rat, and hamster tumors," GANN 55:57-60
•	C289	Suzuki, "The history of iatrogenic diseases in Japan," First Dept. Internal Med., Univ. Environ. Occup. Health, Kitakyushu, Japan pp. 35-40
	C290	
	C291	Szydlowska et al., 1978, "On the application of thalidomide as a block of functional groups of proteins in histochemical investigations," Folia Histo. Cytochem. 16(3):233-240
	C292	Tamura et al., 1990, "Combination thalidomide and cyclosporine for cardiac allograft rejection. Comparison with combination methylprodnisolone and cyclosporine," Transplantation 49(1):20-25
	C293	Tanaka et al., 1997, "Vascular endothelial growth factor in diabetic retinopathy," Lancet 349:1520
	C294	Taylor et al., 1982, "Protamine is an inhibitor of angiogenesis," Nature 297:307-312
	C295	Teppo et al., 1977, "Thalidomide-type malformations and subsequent osteosarcoma," Lancet II(8034):405
K	C296	"Thalidomide 20 years on," Lancet II(8245):510-511 (1981)

- k	Coope	of Application No. 10/732,867  "Thalidomide," Merch Index, 11 <sup>th</sup> ed., pp. 1458 (1989)				
15	C297	Theophilus, 1980, "Treatment with thalidomide in steroid dependency and neuritis," Lepr. India 52(3):423-428				
<del></del>	C298	Thomas et al., 1972, "Effect of thalidomide on liver regeneration in rat," Indian J. Exp. Biol. 10:314-315				
<del></del>	C299	Thomas et al., 1972, "Lack of thalidomide induced aplasia in regenerating tail of lizard, hemidactylus				
	C300	flavivirdis," Indian J. Exp. Biol. 10:316-317				
	C301	Thomas et al., 1993, "Successful treatment of adult's langerhans cell histiocytosis with thalidomide," Arch. Dermatol. 129:1261-1264				
	C302	Reproductive Immunol. 27:171-179				
C303		m 13: 1 10/2 (27): 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
"	C304	Trautman, 1976, "Treatment of Hansen's Disease," Cutis 18(1):62-65				
	C305	Van den Broek, 1980, "Treatment of prurigo nodularis with thalidomide," Arch. Dermatol. 116(5):571-572				
	C306	13(4):293-300				
·	C307	Verhaul et al., 1999, "Combination oral antiangiogenic therapy with thalidomide and sulindae inhibits tumor growth in rabbits," Brit. J. Cancer 79(1):114-118				
·	C308	Vicente et al., 1993, "In vitro activity of thalidomide against mycobacterium avium complex," Arch. Internal Med. 153:334				
	C309	Villa et al., 1963, "Antimytotic effect of thalidomide and its metabolites on the chick embryo blood cells," Haematol. Latina 6:217-221				
	C310					
	C311	Vladutiu, 1966, "Another chance for thalidomide?" Lancet I(7444):981-982				
	C312	326:1055-1059				
	C313					
	C314	19(1, Pt. 3):2658-2661				
	C315	model," Transplantation 41(5):644-647				
	C316					
_	C317	Waters et al., 1979, "Treatment of ulcerative colitis with thalidomide," Brit. Med. J. 1(6166):792				
	C318	Waters, 1991, "Use of thalidomide in leprosy," BMJ 303(6800):470				
	C319	leprosum," Lepro. Rev. 42(1):26-42				
	C320	Engl. J. Med. 324(1):1-8				
_	C321	143(2):401-409				
	C322	stage breast carcinoma," J. Nat. Cancer Inst. 84(24):1875-1887				
_	C323	Weslowski et al., "Effect of light on a murine model of retinopathy of prematurity," Invest. Opthamol. & Visual Science 33(4):1281 (Abstract)				
	C324	White et al., 1989, "Treatment of pulmonary hemangiomatosis with recombinant interferon alpha-2a," New Engl. J. Med. 32(18):1197-1200				
	C325	Williams, 1990, "Enantiomers in arthritic disorders," Pharmacol. & Therapeutics 46(2):273-295				
	C326					
	C327	Winkelmann et al., 1984, "Thalidomide treatment of prurigo nodularis," Acta. Derm. Venereol. 64(5):412-417				
	C328	Wood et al., 1990, "The potential use of thalidomide in the therapy of graft-versus-host disease - A review of clinical and laboratory information," Leuk. Res. 14(5):395-399				
	C329					
	C330	480				
	C331	Yazici et al., 1991, "Practical treatment recommendations for pharmacotherapy of Behcet's syndrome," Drugs 42(5):796-804				
K	C332	Yoshimura et al., 1993, "Cloning, sequencing, and expression of human macrophage stimulating protein (MSP,				

Sheet 12 of 12 of List of References of Application No. 10/732,867

			011ppnearos110110752,007
	FJ		MSTI) confirms MSP as a member of the family of Kringle proteins and locates the MSP gene on chromosome 3," J. Biol. Chem. 268(21):15461-15468
		C333	Youle et al., 1989, "Treatment of resistant aphthous ulceration with thalidomide in patients positive for HIV antibody," BMJ 298(6671):432
		C334	Youle et al., 1990, "Thalidomide in hyperalgic pharyngeal ulceration of AIDS," Lancet 335(8705):1591
		C335	Yue et al., 1997, "2-Methoxyestradiol, an endogenous estrogen metabolite, induces apoptosis in endothelial cells and inhibits angiogenesis: Possible role for stress-activated protein kinase signaling pathway and Fas expression," Molecular Pharmacol. 51:951-962
- C336		C336	Ziche et al., 1997, "Nitric oxide synthase lies downstream from vascular endothelial growth factor-induced but not basic fibroblast growth factor-induced angiogenesis," J. Clin. Invest. 99(11):2625-2634
	Ks	C337	Zwart, 1966, "Treatment of grade II astrocytoma with thalidomide," Arzneim. Forsch. 16(12):1688-1689

	EXAMINI	er Kamil	sneed	DATE CONSIDERED	08/29	05
--	---------	----------	-------	-----------------	-------	----

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.